

Corporate Office: 113 Cedar St. Akron, NY 14001

Ph: (716) 542-5427 Fax: (716) 542-5947

Date:	 	
P.O	 	
QTY		
SHIP DATE:		

	SHIP TO:
GASKETS NOT INC	☐ DOOR SET GASKETED (ROADSIDE AND CURBSIDE)  UDED ☐ DOOR GASKETED (ROADSIDE) ☐ DOOR GASKETED (CURB OR SIDE DOOR
AVAILABLE CORES	
□ PLYWOOD	□15/32" □ 23/32" □25/32" □31/32" □5/8" □1-1/4" □SPECIFY
	□ 15/32" □ 1/2" □ 9/16" □ 23/32" □ SPECIFY
□ COMPOSITE	□ 33/64"
AVAILABLE METALS	METAL THICKNESS
☐ ALUMINUM MILL	INISH □ .012" □ .022" □ .040"
☐ ALUMINUM PREP	INTED WHITE □ .012" □ .022" □ .050"
$\square$ Galv. Steel mill	FINISH □ .013" □ .017"
☐ GALV. STEEL PREP	NINTED WHITE □ .017"
□ 80K GALV. STEEL N	IILL FINISH □ .024"
□ 80K GALV. STEEL F	REPAINTED WHITE   .024"
$\square$ STAINLESS STEEL S	BA □ .021"
□ STAINLESS STEEL (	UILTED
Other Information:	
	Spec #
Order Info Per:	Phone:



Corporate Office: 113 Cedar St. Akron, NY 14001

Ph: (716) 542-5427 Fax: (716) 542-5947


## \_\_\_\_\_


## **AVAILABLE GASKETS**

- SEA-LOK DUAL DUROMETER PVC
- ☐ SEA-LOK LP
  DUAL DUROMETER PVC
- ☐ SEA-LOK LP W/BULB INSERT DUAL DUROMETER PVC




- □ AV PVC GASKET WITH EXTRUDED ALUMINUM RETAINER
- ☐ SINGLE DUROMETER PVC GASKET WITH BARB





Please note: If taking opening dimensions please measure in two areas and take average on height and width.

The Frame of the trailer should be square.



Measure the opening WIDTH of your truck or trailer (distance between roadside post and curbside) and the opening HEIGHT (distance between header and sill as shown).

Door Opening Height: \_\_\_\_\_

Door Opening Width: \_\_\_\_\_

OR

Place your tape measure over your present door and measure the distance from A to B. This is the overedging WIDTH of your present door. Next measure the distance from C to D. This is the overedging HEIGHT.

Over the EDGE Height: \_\_\_\_\_

Over the EDGE Width: \_\_\_\_\_

