



**“You have to build a quality product
in order to stay in business,
Whiting will build quality products.”**

— Business philosophy of Theo Whiting, on founding
Whiting Roll-up Door Manufacturing Corp. (1953)

To order or for
further information
call, fax or write:



General Offices:
113 Cedar Street
Akron, New York 14001
Phone: (716) 542-5427
FAX: (716) 542-5947


Rialto, CA
Phone: (909) 877-0120
FAX: (909) 877-9180

St. Louis, MO
Phone: (314) 741-6880
FAX: (314) 741-7450

Manufacturers of:
SEA-LOK® Swing Doors
And these quality roll-up doors:

- Whiting PREMIUM
- CARGOSAVER
- COLDSAVER
- TEMPGUARD
- HINGELESS TRUSS
- HINGED TRUSS
- GENERAL PURPOSE
- CARGOGUARD
- EXTRUDED ALUMINUM

Form 9275 595
Printed in U.S.A.
©1995 Whiting Door Manufacturing Corp.



Whiting's #2376 balancer

**When it comes to roll-up doors,
Two springs are better than one.**

When it comes to roll-up doors,
Two springs are better than one.

And two spring balancers are yet another feature available
with Whiting Roll-up Doors...and only with Whiting Roll-up Doors.

Whiting offers you exclusive independent suspension...

- Two springs – a spring for each cable
- Cable will not jump off pulley
- Independent cable tension for each cable
- Permits individual cable change or adjustment
- Safest and easiest balancer to tension
- Designed by Whiting to allow safe winding with door in open position



- And more...**
- Pre-stretched and spaced spring for error proof installation
 - Designed and manufactured with fixed stationary shaft (Turning shafts have a tendency to break)
 - No adjustment of spring anchor required at time of installation (Another important Whiting safety feature)
 - Operator balancer bracket in center of shaft to prevent flexing and vibration
 - Durable ball bearing drums
 - Springs treated with rust preventative in our plant at time of manufacture
 - Whiting springs are manufactured in-house to ensure consistency and safety
 - Oil-tempered cable wire
 - Silencer tube standard equipment to prevent spring from hitting shaft
 - Whiting assigns an individual serial number to every door we manufacture for your convenience.
 - Whiting provides balancers of appropriate size and strength, with springs designed specifically for every door we manufacture.
 - Whiting's #2376 Two-Spring Balancer is standard equipment on Whiting Premium Quality, CargoGuard, Hinged Truss, and Hingeless Truss Dry Freight Roll-up Doors and Whiting ColdSaver and TempGuard Insulated Roll-up Doors.

Whiting delivers a perfectly balanced door, balancer and components on every door we sell...
and Whiting Doors are the easiest and safest to install on your truck or trailer.





...unequivocally better !